



- NOTES:
1. DO NOT SCALE from the drawing.
  2. Further Dimensions required to be requested from Project technical team.
  3. Report all discrepancies to JDD project technical team IMMEDIATELY.
  4. Refer to the following ASSOCIATED DRAWINGS:

Revision Log		
Rev	Issue	Description
4	KB	PROVIDE REDRAWN TO NEW LAYOUT
6	KB	PROVIDE REDRAWN TO NEW LAYOUT
		PROVIDE AMENDMENTS TO ALL REQUIREMENTS

- existing trees to be removed
- existing trees to be retained
- proposed tree planting

**NOTES:**

**PLANTING AND TURFING**  
 All work to comply with BS 4386:1985 Code of Practice for General Landscape Operations and p/c. & horticultural practice.

**SOILS**  
 Topsoil to be 400mm deep over shrub planting areas and 150mm deep over grass areas. Subsoil to be minimum depth of 200mm under sports areas.

**PREPARATION**  
 Break in any preparation to the subsoil prior to spreading topsoil.  
 Cultivate to a maximum 100mm in shrub planting areas, 500mm deep, and to a fine tilth in grass areas, 100mm deep.  
 Break in with an approved herbicide, in accordance with the manufacturer's instructions and current legislation.  
 Remove all trees of past tree and shrub planting comparable to 50% of all shrub planting areas.

**PLANT MATERIAL AND PLANTING**  
 All trees and shrubs to conform with BS 5830 Part 1 Specification for Trees and Shrubs. Prior to any excavations for all tree and shrub planting, confirm service locations with the site holder.  
 Containers for shrubs and specimen shrubs large enough to accommodate the root system without restriction or damage, 100mm wider than the root spread and 200mm deep.  
 Specimens with typical soil.  
 Grasses to be sown from 1st April to 31st September. Seed to be broken up to a depth of 20mm. Seed to be sown in rows 100mm apart and shrub planting to be completed and topsoil as dug off from to be sown in rows. Spaced to be 600mm (or as specified) between rows, projecting 500mm above ground. Rows to be sown with roller traffic.  
 There to be water all areas of the planting.

**MULCH**  
 Spine 70mm depth of mineral bark mulch over all planting areas.

**POST-PLANTING**  
 Apply a general herbicide spray over planting areas during the maintenance period to achieve and to maintain ground. Methods to be used in accordance with the manufacturer's instructions and current legislation.  
 Water 4 planting areas ensuring the full depth of topsoil is fully wetted.

Trees to be adjacent to the highway to be protected with Rooted 1000. To be supplied by Green & Leaf Plant, Hastings TN36 4JU Tel: 01424 22222.

Excavation in grass verge to be protected in accordance with BS 5830:2005  
 This is to be done and there will be no change in ground levels around existing trees.

Please refer to separate service drawings for information on services.

Final's verification to be agreed by Stockton Borough Council.

**PLANTING SCHEDULE**

SEMI-MATURE TREES 20-30CM GIRTH @ 0M - HT	BE	PCP	TSS
Betula ermanii	3		
Pyrus ussuriensis Redgold		4	
Tilia cordata Green Spire			18

**BENCH & READY STANDARD TREES 14-17CM GIRTH @ 0M - HT**

BP	Betula pendula	17
MY	Malus pyramidalis 'Vitality'	8
SE	Sorbus Embury	12

Final positions and specification to be agreed with Stockton Borough Council.

Positions of trees outside of north and western boundaries dependent on land ownership.



**Jane Cartwright and David Kendall Limited**  
 Chartered Architects and Landscape Architects  
 11th Floor, The Colonnade, 100 Broad Street, Birmingham B1 2LP  
 Tel: 0121 633 1111 Fax: 0121 633 1112  
 email: info@jcdkl.co.uk  
 www.jcdkl.co.uk

CLIENT	
YUILL HOMES	
PROJECT TITLE	
BILINGHAM COLLEGE	
TYPE	
LANDSCAPE PERIPHERY	
MANUFACTURER	
NA	
QUANTITY	REVISION
NA	NA
EXTERNAL CONSULTANT	OTHER
NA	NA
OTHER	OTHER
NA	NA
DRAWING No.	Revision
2711 90 01	B
Job Ref.	Type No.
SCALE: 1:500	PAPER SIZE: A1
DATE: MARCH 2017	CHECKED BY: KB
DWS STATUS:	
PRELIMINARY	