

GROUND FLOOR PLAN.

FIT RESTRAINT STRAPS AT 1.2M CRS.

1500 WHITE UPVC WINDOW SAFETY GLAZED, CB70 LITTEL OVER, 6,000 MM² TRICKLE VENT.

65 SQ DOWNPIPE.

CLOSE OFF OPENING TO GARAGE. 100x50 STUDING, 100 INSULATION FIREBOARD TO GARAGE SIDE, 15mm P/BOARD TO HOUSE SIDE, 2 HR, F.D. WITH SELF CLOSER, 125 MIN STEP DOWN.


FORM DOORWAY AT EXIST^g WINDOW.

HIGH W WINDOW AT NEW WALL.


4000.

NEW 8.1.6. 1M SUPERSLAVE, 150 GRANULAR BED & SURROUNDING.

FIT FRENCH DOORS AT EXIST^g 1200 WINDOW, SAFETY GLAZED.



WEST ELEVATION.



EAST ELEVATION.

STOCKTON BOROUGH COUNCIL
PLANNING
07 DEC 2007
DATE RECEIVED

FIT RESTRAINT STRAPS AT 1.2M CRS.

WALL ABOVE PITCHED ROOF TO HAVE 200T SILICONE WASH.

TILES TO MATCH EXISTING.

PROVIDE HIGH LEVEL VENTS TO ROOF SPACE.

1400x1700 VELUX ROOF LIGHT COVERS RAFTERS TO SIDES.

FACING BRICK TO MATCH EXIST^g.

1800 FRENCH DOORS + SIDE WINDOW ALL SAFETY GLAZED, CB70 LITTEL OVER.



REAR ELEVATION.

FIT NEW DOOR & SIDE WINDOW TO GARAGE, SAFETY GLAZED.

SBC 0002

07/3398/1--

NOTE
ACTUAL LOCATION & TYPE OF RADIATORS & POWER POINTS TO BE AGREED WITH CLIENT.